

S E R V I N G T R O L L E Y S



Animo

J, S, C, JR, ST, Combi
SK VL, Buffet

Serving trolleys

A cup of coffee or tea enhances a moment of relaxation, any time, anywhere. A mobile service brings that break right to the customer. Animo has an extensive range of mobile serving combinations which are practical, flexible and unrestricted in use. They take quality freshly brewed coffee and tea to wherever the customer wants it.

Trolleys type J, S and C

The open style of the trolleys in these ranges is designed to make them ideal for transporting hot beverage containers of all sorts. On the lower shelf there is ample space for thermos jugs, etc. The serving

trolleys are equipped with two castors (one with a brake) as a standard feature. A drip tray in the top plate and centring shoulders for the placement of containers are also standard features of the trolleys.



There is a possibility to fit the top surface with a fixing ring instead of centring shoulders.



Serving trolleys type J and S can be supplied with a drawer at the rear of the trolley (at a small surcharge). The top is fitted with centring shoulders for the placement of containers.

Trolleys type JR, ST and Combi

The trolleys in this range are fitted with sliding rails for stainless steel trays. They offer ample space for cups, saucers, jugs, bowls, etc. These trolleys are large and versatile and, with a few accessories, can be easily converted for use as a multi purpose mobile buffet. The trolleys in this range are closed on three sides and are fitted with drip trays.



The trolleys can be fitted with up to 2 lift-up side panels.



Spoon holder and bottle holder.



JR

ST

Combi



SK 10 VL

SK 15 VL

SK 20 VL



Ergonomic push/pull bracket.



Saucer holder and waste-bin.



Extendible girders.

Trolley range type SK VL

These serving trolleys are especially designed for the transportation of rinsing baskets for plates and dishes. Each basket takes up to about 30 cups and saucers. The tubular frame has fittings so that removable trays, rinsing baskets and drawers can be placed at any height. The rinsing baskets can be taken directly to and from

the dishwasher. This will save you time and it eliminates unnecessary lifting. The trolleys are provided with an ergonomic push/pull bracket, which enable you to manoeuvre the trolleys effortlessly. The open construction of the undercarriage keeps the overall weight down.



Thermos jug on serving tray (SK 15 VL).

Electrically driven

The serving trolleys can also be supplied with an electrical motor. The control of the electrical serving trolley is very simple and therefore very user friendly. With just one finger you can make the trolley start rolling and thanks to the ergonomic push bracket, you can manoeuvre the trolley with minimal effort. When the battery is low, you can easily charge it at mains voltage (220-230V).



Buffet trolley

The buffet trolley is extremely suitable for the serving of various beverages of coffee and tea in breakfast rooms, conference rooms and hotel lobbies.

The trolley is equipped with a built-in insulated storage cupboard with one shelf. It is possible to place 6 serving trays in the trolley. The side panels can be folded out. The work surface can hold four 2.4 litre Animo thermos containers (optional).



User friendly... and reliable

For central coffee and tea making in the hotel and catering business, companies and institutions, Animo has developed a system with serving trolleys. Coffee/tea is brewed with the help of continuous flow water boilers. The coffee/tea is made directly into containers which are already in position on the serving trolley. This system is ergonomically correct, since the full containers do not have to be lifted on the trolleys. The containers are available in various capacities, so that the quantity of coffee/tea can be geared exactly to the size of the various departments. The serving trolleys have space for crockery and ingredients, etc. With the Animo serving trolleys, you can serve quickly and efficiently.



Technical details

Trolleys type J, S and C



- Trolley type J** (Article no. 60004)
- A simple efficient trolley for the transportation of a container of 4 to 20 litres (except for CN2oe/i).
 - Optional drawer and drawer lock.



- Trolley type S** (Article no. 60006)
- The specifications of this trolley are the same as those of serving trolley type J.
 - Suitable for the transportation of 1 container of 25 to 40 litres.
 - Optional drawer and drawer lock.



- Trolley type C** (Article no. 60001)
- Robust trolley for the transportation of 2 containers of 4 to 20 litres (except for CN2oe/i).

Trolleys type JR, ST and Combi



- Trolley type JR** (Article no. 60002)
- Capacity containers: 1x 4 - 10 litres.
 - Capacity cups and saucers: abt. 96 stackable.
 - Serving tray stainless steel: maximum 5.
 - Drawer: maximum 1.



- Trolley type ST** (Article no. 60005)
- Capacity containers: 1x 4 - 20 litres.
 - Capacity cups and saucers: abt. 160 stackable.
 - Serving tray stainless steel: maximum 11.
 - Drawer: maximum 1.



- Trolley type Combi** (Article no. 60000)
- Capacity containers: 2x 4 - 20 litres (except for CN2oe/i).
 - Capacity cups and saucers: abt. 160 stackable.
 - Serving tray stainless steel: maximum 8.
 - Drawer: maximum 2.

Trolley range type SK VL



- Trolley type SK 10 VL** (Article no. 60035)
- The basic trolley is supplied with an extendable worktop. The following accessories are available for the SK 10 VL:
- drawer (max. 1).
 - slide drawer for rinsing basket (max. 6).
 - optional: electric motor.



- Trolley type SK 15 VL** (Article no. 60036)
- This trolley consists of a narrow and a wider part, in which can be placed among other things:
- drawer (max. 1 large and 1 small).
 - slide drawer for rinsing basket (max. 6).
 - optional: electric motor.



- Trolley type SK 20 VL** (Article no. 60037)
- This trolley has two compartments of different widths for fitting the following elements:
- drawer (max. 2 large).
 - slide drawer for rinsing basket (max. 12).
 - optional: electric motor.

- Buffetwagen** (Article no. 60040)
- built-in insulated storage cupboard.
 - max. 6 serving trays.
 - 2 side panels.
 - suitable for 4 thermos containers 2.4 ltr.



Animo B.V.

The Netherlands
Headoffice - Export Department
Tel. +31 592 37 63 76

Animo B.V.B.A.

Belgium
Tel. +32 3 313 03 08

Animo Ossip Sarl

France
Tel. +33 380 250 660

Animo GmbH

Germany
Tel. +49 541 97 12 50

www.animo.nl



Animo