

1650 - 1840



SEGAOSSA ANODIZZATI



	Lunghezza nastro Blade length Longueur lame Longitud cinta	Motore Motor Moteur Motor	Puleggia Pulley Poulie Polea	Sup. di lavoro Working surface Surface de travail Sup. de trabajo	Altezza di taglio Cut height Hauteur de coupe Altura de corte	Larghezza di taglio Cut width Largueur de coupe Ancho del corte	Dimensioni max Overall dimensions Dimensions max Dimensiones max	Peso netto Net weight Poids net Peso neto	Dimensioni imballo Shipping Emballage Dimensiones embalaje	Peso lordo Gross weight Poids brut Peso bruto
	mm	Hp/r.p.m.	mm	mm	mm	Kg/h	mm	kg	mm	kg
SO 1650F	1650	1/900	210	400x400	235	200	460x500xH865	36	720x570x1150	51
SO 1840F	1840	1/900	250	460x480	230	220	480x565xH910	40	720x570x1150	56

		Normale		CE		
		Cod. 23 _____		Cod. 24 _____		
__162402F	SO 1650 F2 Mn	(lama h. / wide blade / lame h. / cuchilla h. 20 mm)	€ 1.638,00		1.904,00	I
__162403F	SO 1650 F2 Tf	(lama h. / wide blade / lame h. / cuchilla h. 20 mm)	€ 1.550,00		1.816,00	I
__182402F	SO 1840 F2 Mn	(lama h. / wide blade / lame h. / cuchilla h. 20 mm)	€ 2.068,00		2.334,00	I
__182403F	SO 1840 F2 Tf	(lama h. / wide blade / lame h. / cuchilla h. 20 mm)	€ 1.980,00		2.246,00	I
__160402F	SO 1650 F Mn	(lama h. / wide blade / lame h. / cuchilla h. 20 mm)	€		1.960,00	I
__160403F	SO 1650 F Tf	(lama h. / wide blade / lame h. / cuchilla h. 20 mm)	€		1.910,00	I
__180402F	SO 1840 F Mn	(lama h. / wide blade / lame h. / cuchilla h. 20 mm)	€		2.385,00	I
__180403F	SO 1840 F Tf	(lama h. / wide blade / lame h. / cuchilla h. 20 mm)	€		2.335,00	I

1650



SEGAOSSA BREMEN



	Lunghezza nastro Blade length Longueur lame Longitud cinta	Motore Motor Moteur Motor	Puleggia Pulley Poulie Polea	Sup. di lavoro Working surface Surface de travail Sup. de trabajo	Altezza di taglio Cut height Hauteur de coupe Altura de corte	Larghezza di taglio Cut width Largueur de coupe Ancho del corte	Dimensioni max Overall dimensions Dimensions max Dimensiones max	Peso netto Net weight Poids net Peso neto	Dimensioni imballo Shipping Emballage Dimensiones embalaje	Peso lordo Gross weight Poids brut Peso bruto
	mm	Hp/r.p.m.	mm	mm	mm	Kg/h	mm	kg	mm	kg
SO 1650 BREMEN	1650	1/900	210	400x500	245	195	530x500xH815	43	720x570x1150	48
SO 1650 BREMEN BASIC	1650	1/900	210	400x500	245	195	530x500xH815	43	720x570x1150	48

		Normale		CE		
		Cod. 23 _____		Cod. 24 _____		
__160502F	SO 1650 Bremen BASIC Mn	(lama h. / wide blade / lame h. / cuchilla h. 20 mm)	€ 2.055,00		2.220,00	I
__160503F	SO 1650 Bremen BASIC Tf	(lama h. / wide blade / lame h. / cuchilla h. 20 mm)	€ 1.985,00		2.150,00	I
24160602F	SO 1650 Bremen Mn	(lama h. / wide blade / lame h. / cuchilla h. 20 mm)	€		2.385,00	I
24160603F	SO 1650 Bremen Tf	(lama h. / wide blade / lame h. / cuchilla h. 20 mm)	€		2.310,00	I

		Normale		CE		
		Cod. 23 _____		Cod. 24 _____		
28010051	Caval letto all'uminio / Aluminium table base Chevalet aluminium / caballete aluminio (mm 540x420x680 / piano 580x450)	SO 1650F - 1840F - BREMEN	€ 310,00		310,00	B



SEGAOSSA INOX

1650 - 2020 - 2400 - 3100



	Lunghezza nastro Blade length Longueur lame Longitud cinta	Motore Motor Moteur Motor	Puleggia Pulley Poulie Polea	Sup. di lavoro Working surface Surface de travail Sup. de trabajo	Altezza di taglio Cut height Hauteur de coupe Alura de corte	Larghezza di taglio Cut width Largueur de coupe Ancho del corte	Dimensioni max Overall dimensions Dimensions max Dimensiones max	Peso netto Net weight Poids net Peso neto	Dimensioni imballo Shipping Emballage Dimensiones embalaje	Peso lordo Gross weight Poids brut Peso bruto
	mm	Hp/r.p.m.	mm	mm	mm	Kg/h	mm	kg	mm	kg
SO 1650 INOX	1650	1/900	210	430x545	249	195	511x606xH803	55	565x720x1150	62
SO 2020 INOX	2020	1/900	250	480x600	315	235	560x600xH970	57	750x630x1430	65
SO 2400 INOX	2400	1,8/700	300	510x710	336	290	750x752xH1625	100	1050x950x1960	125
SO 3100 INOX	3100	2,5/700	400	795x810	445	390	965x810x1870	170	1050x950x1960	195

				Normale		CE	
				Cod. 23		Cod. 24	
__160702F	SO 1650 INOX Mn banco BASIC	(lama h. / wide blade / lame h. / cuchilla h. mm 16)	€	2.540,00		2.660,00	I
__160703F	SO 1650 INOX Tf banco BASIC	(lama h. / wide blade / lame h. / cuchilla h. mm 16)	€	2.470,00		2.585,00	I
__200602F	SO 2020 INOX Mn banco BASIC	(lama h. / wide blade / lame h. / cuchilla h. mm 16)	€	2.970,00		3.160,00	I
__200603F	SO 2020 INOX Tf banco BASIC	(lama h. / wide blade / lame h. / cuchilla h. mm 16)	€	2.895,00		3.085,00	I
24160802F	SO 1650 INOX Mn banco	(lama h. / wide blade / lame h. / cuchilla h. mm)	€			2.680,00	I
24160803F	SO 1650 INOX Tf banco	(lama h. / wide blade / lame h. / cuchilla h. mm)	€			2.610,00	I
24200702F	SO 2020 INOX Mn banco	(lama h. / wide blade / lame h. / cuchilla h. mm 16)	€			3.340,00	I
24200703F	SO 2020 INOX Tf banco	(lama h. / wide blade / lame h. / cuchilla h. mm 16)	€			3.265,00	I
24200902F	SO 2020 INOX Mn da pavimento	(lama h. / wide blade / lame h. / cuchilla h. mm 16)	€			3.795,00	I
24200903F	SO 2020 INOX Tf da pavimento	(lama h. / wide blade / lame h. / cuchilla h. mm 16)	€			3.720,00	I
24230902F	SO 2400 INOX Mn colonna	(lama h. / wide blade / lame h. / cuchilla h. mm 16)	€			4.695,00	L
24230903F	SO 2400 INOX Tf colonna	(lama h. / wide blade / lame h. / cuchilla h. mm 16)	€	4.400,00		4.610,00	L
24310903F	SO 3100 INOX Tf colonna	(lama h. / wide blade / lame h. / cuchilla h. mm 16)	€			6.100,00	L

28010091	Piano scorrevole / Sliding table / Table coulissante / Tablero deslizable	SO 2020 inox	€			340,00	
28010092	Piano scorrevole / Sliding table / Table coulissante / Tablero deslizable	SO 2400 inox	€			370,00	
28010093	Piano scorrevole / Sliding table / Table coulissante / Tablero deslizable	SO 3100 inox	€			525,00	
	Aum. pulegge inox (inf.+sup.) / Set of stainless steel pulleys please add Augmentati on poulies inox (inf.+sup.) / Aumento poleas inox (Inf+sup)	SO 1650 inox	€			200,00	
	Aumento per comandi IP 67 / IP 67 controls add Augmentati on commandes IP 67 / Aumento mandos IP 67		€			70,00	
	Aumento per motore veloce / Increase for fast speed motor Augmentati on pour moteur rapide Aumento para motore veloz	SO 1650 - 2020	€			250,00	
	Aumento per portionatrice inox / Increase for stainless steel portioner Augmentati on pour portionner inox / Aumento para porcionador de carne de acero inox	SO 1650 - 2020	€	55,00			
	Aumento per spingitore inox / Increase for stainless steel pusher Augmentati on pour pousseur inox / Aumento para empujador de carne de acero inox	SO 1650 - 2020	€	94,00			

LAME SEGAOSSA LARG. 16 / MEAT SAW BLADES, 16 mm. WIDE /
LAMES SCIE EP. 16 / ANILLOS SIERRA DE HUESSOS ESPESOR 16



Lame temperate per fresco e surgelati				
ANELLO SO 1520 Temperate / Harden ed / Trempée / Templado	€		10,00	
ANELLO SO 1650 Temperate / Harden ed / Trempée / Templado	€		11,00	
ANELLO SO 1800 Temperate / Harden ed / Trempée / Templado	€		11,00	
ANELLO SO 1840 Temperate / Harden ed / Trempée / Templado	€		11,00	
ANELLO SO 2000 Temperate / Harden ed / Trempée / Templado	€		12,00	
ANELLO SO 2020 Temperate / Harden ed / Trempée / Templado	€		12,00	
ANELLO SO 2400 Temperate / Harden ed / Trempée / Templado	€		13,00	
ANELLO SO 2940 Temperate / Harden ed / Trempée / Templado	€		15,00	
ANELLO SO 3100 Temperate / Harden ed / Trempée / Templado	€		16,00	
ANELLO SO 1360/1550 Temperate / Harden ed / Trempée / Templado	€		10,00	
ANELLO SO 1560/1750 Temperate / Harden ed / Trempée / Templado	€		11,00	
ANELLO SO 1760/1900 Temperate / Harden ed / Trempée / Templado	€		11,00	
ANELLO SO 1910/2050 Temperate / Harden ed / Trempée / Templado	€		12,00	
ANELLO SO 2060/2390 Temperate / Harden ed / Trempée / Templado	€		13,00	
ANELLO SO 2410/3000 Temperate / Harden ed / Trempée / Templado	€		15,00	
Le lame dei segaossa vengono vendute esclusivamente in confezioni da 10 pz Meat saw blades available only in 10 piece boxes only Les lames des scies sont vendues exclusivement en boîtes de 10 pcs Las cuchilla de las sierras de huesos pueden ser vendidas exclusivamente en paquetes de 10 pz				

LAME SEGAOSSA LARG. 20 / MEAT SAW BLADES, 20 mm. WIDE /
LAMES SCIE EP. 20 / ANILLOS SIERRA DE HUESSOS ESPESOR 20



Lame temperate per fresco e surgelati				
28044152 ANELLO SO 1520 Temperate / Harden ed / Trempée / Templado	€		9,00	
28044165 ANELLO SO 1650 Temperate / Harden ed / Trempée / Templado	€		9,00	
28044180 ANELLO SO 1800 Temperate / Harden ed / Trempée / Templado	€		10,00	
28044184 ANELLO SO 1840 Temperate / Harden ed / Trempée / Templado	€		10,00	
28044200 ANELLO SO 2000 Temperate / Harden ed / Trempée / Templado	€		10,00	
28044202 ANELLO SO 2020 Temperate / Harden ed / Trempée / Templado	€		10,00	
28044240 ANELLO SO 2400 Temperate / Harden ed / Trempée / Templado	€		12,00	
28044294 ANELLO SO 2940 Temperate / Harden ed / Trempée / Templado	€		13,00	
28044310 ANELLO SO 3100 Temperate / Harden ed / Trempée / Templado	€		14,00	
- / 28044155 ANELLO SO 1360/1550 Temperate / Harden ed / Trempée / Templado	€		9,00	
28044156 / 28044175 ANELLO SO 1560/1750 Temperate / Harden ed / Trempée / Templado	€		9,00	
- ANELLO SO 1760/1900 Temperate / Harden ed / Trempée / Templado	€		10,00	
- / 28044205 ANELLO SO 1910/2050 Temperate / Harden ed / Trempée / Templado	€		10,00	
- / 28044239 ANELLO SO 2060/2390 Temperate / Harden ed / Trempée / Templado	€		13,00	
- ANELLO SO 2410/3000 Temperate / Harden ed / Trempée / Templado	€		14,00	

★ CUTTER

4 - 6 - 9 - 15



	Potenza Power Potencia	230V 50/60 Hz F+N 115V 60 Hz F+N	400V 50/60 Hz F+N 230 V 50/60 Hz 3F	Capacità vasca Bowl capacity Capacidad cuve Capacidad tina	Capienza uttile vasca Bowl filling level Capacitat Capacidad util tina	Giri Revolutions Tours Vueltas	Dimensioni max Overall dimensions Dimensiones max Dimensiones máx	Peso netto Net weight Poids net Peso neto	Dimensioni imballo Shipping Emballage Dimensiones embalaje	Peso lordo Gross weight Poids brut Peso bruto
	Hp/Watt			lit	lit	R.p.m.	mm	kg	mm	kg
C4	0,5/350	X 0		3,3	1,5	2600	380x320xH 270	10	430x340x290	11
C4 VV	0,5/350	X 0		3,3	1,5	1100+2600	380x320xH 270	10	430x340x290	11
C6	0,5/350	X 0		5,3	3,1	2600	380x320xH 320	11	440x340x400	12
C6 VV	0,5/350	X 0		5,3	3,1	1100+2600	380x320xH 320	11	440x340x400	12
C9 VV	0,5/350 x 2	X 0		9,4	5,4	1100+2600	470x330xH 400	25	720x350x500	26
C15 tavolo	4,0/2.940		X	14,5	8,2	1.075/2.150	380x610xH 750 open	52	650x750x750	67
C15 2V tavolo	1,8+2,2/1.320+1.620		X	14,5	8,2	Tf 1.050-2.150	380x610xH 750 open	52	650x750x750	67
C15	2,5/1850	X X		14,5	8,2	Mn 1400-Tf2800	420x445xH 1030	66	600x600x1150	74
C15 2V	1,8+2,2/1.320+1.620		X	14,5	8,2	1400/2800	420x445xH 1030	66	600x600x1150	74
C15 Macelleria	4/2940		X	14,5	8,2	2800	420x445xH 1030	66	600x600x1150	74
C15 VV Pasticceria	7/5150		X	14,5	8,2	1200+1800	420x445xH 1030	66	600x600x1150	74

				CE	
4080 100 2P	C4 Cutter	€		630,00	B
4080 050 2P	C4 VV Cutter Variatore di Velocità / Speed control / variateur de vitesse / variador de velocidad	€		670,00	B
4080 05P0 2P	C4 VV PESTO	€		700,00	B
4080 200 2P	C6 Cutter	€		795,00	B
4080 150 2P	C6 VV Cutter Variatore di Velocità / Speed control / variateur de vitesse / variador de velocidad	€		835,00	B
4080 15P0 2P	C6 VV PESTO	€		875,00	B
4080 220 2P	C9 VV Cutter Variatore di Velocità / Speed control / variateur de vitesse / variador de velocidad	€		1.285,00	B
4080 22P0 2P	C9 VV PESTO	€		1.335,00	B
4080 230 3F	C15 Cutter da banco 1V. Hp 4,0 Tf	€		2.660,00	H
4080 236 3F	C15 Cutter da banco 2V. Hp 2,5 - 4,0 Tf	€		2.920,00	H
4080 242 3F	C15 Cutter 4 Hp (solo Tf)	€		2.800,00	H
4080 244 3F	C 15 2 V Cutter 2,2+3 Hp - 2 velocità (solo Tf) / 2 speeds / 2 vitesse / 2 velocidad	€		3.050,00	H
4080 246 3F	C15 MACELLERIA / FOR MEAT / BOUCHERIE / CARNICERIA Cutter 4,0 Hp (solo Tf)	€		3.100,00	H
4080 248 3F	C15 PASTICCERIA / FOR THICK MIXES / PATISSERIE / PASTELERIA Cutter 7,0 Hp VV	€		5.100,00	H

Mozzo completo di coltelli / Shaft with regular knives Moyeau com plet avec couteaux / Cubo completo de cuchillas		€			
MSC04AMON C4		€		57,00	F
MSC06AMON C6		€		61,00	F
MSC09AMON C9		€		71,00	F
MSC15AMON C15		€		110,00	F
Mozzo completo di coltelli zigrinati / Shaft with serrated knives Moyeau com plet avec couteaux moletés / Cubo com pleto de cuchillas moletadas					
MSC04AMOZ C4		€		57,00	F
MSC06AMOZ C6		€		61,00	F
MSC09AMOZ C9		€		71,00	F
MSC15AMOZ C15		€		110,00	F
Mozzo completo di coltelli forati / Shaft with emulsifying knives Moyeau com plet avec couteaux percés / Cubo com pleto de cuchillas agujeradas					
MSC04AMOF C4		€		57,00	F
MSC06AMOF C6		€		61,00	F
MSC09AMOF C9		€		71,00	F
MSC15AMOF C15		€		110,00	F



Mozzo completo di coltelli per impasti / Shaft with knives to mix dough Moyeau com plet avec couteaux pâtes / Cubo completo de cuchillas para masas	€			
MSC04AMO1 C4	€		57,00	F
MSC06AMO1 C6	€		61,00	F
MSC09AMO1 C9	€		71,00	F
MSC15AMO1 C15	€		110,00	F
Mozzo completo di coltelli per PESTO / Shaft with knives for PESTO sauce Moyeau com plet avec couteaux PESTO / Cubo completo de cuchillas para PESTO	€			
MSC04AMOP C4	€		82,00	F
MSC06AMOP C6	€		87,00	F
MSC09AMOP C9	€		95,00	F

TM



TAGLIAVERDURE



	Potenza Power Puissance Potencia	Alimentazione Power source Alimentation Alimentación	Giri disco Disc revolutions Tours disque Giros discos	Dimensioni max. Overall dimensions Dimensions max Dimensiones máx	Peso netto Net weight Poids net Peso neto	Dimensioni imballo Shipping Emballage Dimensiones embalaje	Peso lordo Gross weight Poids brut Peso bruto
	Watt/HP		R.p.m.	mm	kg	mm	kg
TM inox	0,7-515	230-400V/50 Hz	300	510x280xh 460	20	720x350x500	24
TM all.	0,7-515	230-400V/50 Hz	300	510x280xh 460	23	720x350x500	26

					Normale	CE	
4075 1002P	TM ACC. Tagliav. e Tagliam ozz. MN	senza dischi no discs included sans disques sin discos	coperchio inox stainless steel lid couverture inox tapa en acero inox	€	810,00	872,00	A
4075 1003P	TM ACC. Tagliav. e Tagliam ozz. TF	senza dischi no discs included sans disques sin discos	coperchio inox stainless steel lid couverture inox tapa en acero inox	€		925,00	A
4075 1502P	TM ALL. Tagliav. e Tagliam ozz. MN	senza dischi no discs included sans disques sin discos	coperchio inox stainless steel lid couverture inox tapa en acero inox	€		925,00	A
4075 1503P	TM ALL. Tagliav. e Tagliam ozz. TF	senza dischi no discs included sans disques sin discos	coperchio inox stainless steel lid couverture inox tapa en acero inox	€		978,00	A

4075 1DESP	Paletta di espulsione / Ejector / Disque ejecteur / disco expulsor	€			15,00	F
4075S 1SC	Scivolo lungo / Collecting chute / Couloir long / Rampa larga	€			40,00	F
4075 0080	Vaschetta raccolta poliet. 1/3 gastronorm h 200 con micro / Polyethylene collecting tray, size 1/3 gastronorm, h. 200 mm. / Bac polyéthylène 1/3 gastronorm h 200 avec micro / Cubeta en polietileno 1/3 gastronorm h 200 con micro	€			21,00	F
4075 0090	Vaschetta raccolta inox 1/3 gastro norm h 200 con micro / Stainless steel collecting tray, size 1/3 gastro norm, h. 200 mm. / Bac inox 1/3 gastro norm h 200 avec micro / Cubeta en acero inox 1/3 gastro norm h 200 con micro	€			39,00	F
4075 0040	PORTA DISCHI in metallo plastificato / DISC HOLDING RACK PORTE DISQUES en métal plastifié / PORTADISCOS en metal plastificado	€			8,00	F
4075 1DF01	DISCO DF1 fette da mm 1 / DF1 1 mm SLICING DISC DISQUE DF1 tranches 1 mm / DISCO DF1 para rodajas mm 1	€			55,00	F
4075 1DF02	DISCO DF2 fette da mm 2 / DF2 2 mm SLICING DISC DISQUE DF2 tranches 2 mm / DISCO DF2 para rodajas mm 2	€			50,00	F
4075 1DF03	DISCO DF3 fette da mm 3 / DF3 3 mm SLICING DISC DISQUE DF3 tranches 3 mm / DISCO DF3 para rodajas mm 3	€			49,00	F
4075 1DF04	DISCO DF4 fette da mm 4 / DF4 4 mm SLICING DISC DISQUE DF4 tranches 4 mm / DISCO DF4 para rodajas mm 4	€			45,00	F



40751DF05	DISCO DF5 speciale per pom odori / DF5 5 mm suggested to slice tomatoes DISQUE DF5 spécial tomates / DISCO DF5 especial para tomates	€			44,50	F
40751DF08	DISCO DF8 fette da mm 8 / DF8 8 mm SLICING DISC DISQUE DF8 tranches 8 mm / DISCO DF8 para rodajas mm 8	€			44,00	F
40751DF10	DISCO DF10 fette da mm 10 / DF10 10 mm SLICING DISC DISQUE DF10 tranches 10 mm / DISCO DF10 para rodajas mm 10	€			43,50	F
40751DF14	DISCO DF14 fette da mm 14 / DF14 14 mm SLICING DISC DISQUE DF14 tranches 14 mm / DISCO DF14 para rodajas mm 14	€			43,50	F
40751DQ04	DISCO DQ4 bastoncini da mm 4 / DQ4 4 mm JULIENNE DISC DISQUE DQ4 bâtonnets mm 4 / DISCO DQ4 para barritas mm 4	€			77,50	F
40751DQ06	DISCO DQ6 bastoncini da mm 6 / DQ6 6 mm JULIENNE DISC DISQUE DQ6 bâtonnets mm 6 / DISCO DQ6 para barritas mm 6	€			72,00	F
40751DQ08	DISCO DQ8 bastoncini da mm 8 / DQ8 8 mm JULIENNE DISC DISQUE DQ8 bâtonnets mm 8 / DISCO DQ8 para barritas mm 6	€			71,00	F
40751DQ10	DISCO DQ10 bastoncini da mm 10 / DQ10 10 mm JULIENNE DISC DISQUE DQ10 bâtonnets mm 10 / DISCO DQ10 para barritas mm 10	€			68,00	F
40751DTV	DISCO DTV per grattugiare / DTV 1 mm GRATING DISC DISQUE DTV râper / DISCO DTV para rallar	€			40,00	F
40751DT02	DISCO DT2 per grattugiare / DT2 2 mm GRATING DISC DISQUE DT2 râper / DISCO DT2 para rallar	€			59,00	F
40751DT03	DISCO DT3 per carote JULIENNE / DT3 3 mm SHREDDING DISC DISQUE DT3 pour carottes JULIENNE / DISCO DT3 para zanahorias JULIENNE	€			55,00	F
40751DT04	DISCO DT4 per sfilacciare / DT4 4 mm SHREDDING DISC DISQUE DT4 effiler / DISCO DT4 para deshil'achar	€			54,00	F
40751DT07	DISCO DT7 per sfilacciare / DT7 7 mm. SHREDDING DISC DISQUE DT7 effiler / DISCO DT7 para deshil'achar	€			54,00	F
40751DT09	DISCO DT9 per sfilacciare mozzarella / DT9 9 mm SHREDDING DISC DISQUE DT9 effiler mozzarella / DISCO DT9 para deshil'achar mozzarella	€			54,00	F
40751PS08	DISCO PS8 cubetti mm 8 (abbin. DF8) / PS8 8 mm DICING DISC (works w/ DF8) DISQUE PS8 cubes mm 8 (abbin. DF8) / DISCO PS8 para cubitos mm 8 (abbin. DF8)	€			90,00	F
40751PS10	DISCO PS10 cubetti mm10 (abbin. DF10) / 10mm DICING DISC (works w/ DF10) DISQUE PS10 cubes mm10 (abbin. DF10) / DISCO PS10 para cubitos mm10 (abbin. DF10)	€			80,00	F
40751PS14	DISCO PS14 cubetti mm14 (abbin. DF14) / 14mm DICING DISC (works w/ DF14) DISQUE PS14 cubes mm14 (abbin. DF14) / DISCO PS14 para cubitos mm14 (abbin. DF14)	€			70,00	F
40751PS20	DISCO PS20 cubetti mm20 / 20mm DICING DISC DISQUE PS20 cubes mm20 / DISCO PS20 para cubitos mm20	€			60,00	F
40751EPS08	PULISCI DISCO / DICING DISC CLEANER NETTOYE DISQUE / LIMPIA DISCOS PS8	€			45,00	F
40751EPS10	PULISCI DISCO / DICING DISC CLEANER NETTOYE DISQUE / LIMPIA DISCOS PS10	€			40,00	F
40751EPS12	PULISCI DISCO / DICING DISC CLEANER NETTOYE DISQUE / LIMPIA DISCOS PS12	€			40,00	F
40751EPS14	PULISCI DISCO / DICING DISC CLEANER NETTOYE DISQUE / LIMPIA DISCOS PS14	€			40,00	F
40751EPS20	PULISCI DISCO / DICING DISC CLEANER NETTOYE DISQUE / LIMPIA DISCOS PS20	€			35,00	F

43 - 55 - 75



VORTEX

	Potenza Power Puissance Potencia	Alimentazione Power source Alimentation Alimentación	Giri/collelli Knives revolutions Tours/rouleaux Gros cuchillos	Dimensioni max. Overall dimensions Dimensions max Dimensiones máx	Peso netto Net weight Poids net Peso neto	Imballo Shipping Emballage Embalaje	Peso lordo Gross weight Poids brut Peso bruto
	Watt/HP		R.p.m.	mm	kg	mm	kg
Vortex 43	430/0,60	230V/50 Hz	14.000	125x190xh377	2,8	-	-
Vortex 43 VV	430/0,60	230V/50 Hz	0÷14.000	125x190xh377	2,8	-	-
Vortex 43 VV S	430/0,60	230V/50 Hz	1.000÷ 11.000	125x190xh377	2,8	-	-
Vortex 55	550/0,80	230V/50 Hz	14.000	125x190xh385	3	-	-
Vortex 55 VV	550/0,80	230V/50 Hz	0÷14.000	125x190xh385	3	-	-
Vortex 55 VV S	550/0,80	230V/50 Hz	1.000÷ 11.000	125x190xh385	3	-	-
Vortex 75	750/1,00	230V/50 Hz	14.000	125x190xh390	3,3	-	-
Vortex 75 VV	750/1,00	230V/50 Hz	0÷14.000	125x190xh390	3,3	-	-
Vortex 75 VV S	750/1,00	230V/50 Hz	1.000÷ 11.000	125x190xh390	3,3	-	-
Asta 30	-	-	-	h 380	1,2	-	-
Asta 40	-	-	-	h 480	1,4	-	-
Asta 50	-	-	-	h 580	1,6	-	-
Frusta	-	-	-	h 404	-	-	-

				CE	
66230102	Vortex 43	430 Watt	€	271,00	F
66230302	Vortex 43 VV	430 Watt	€	280,00	F
66230502	Vortex 43 VVS con controllo / with stabilizer / avec contrôl / con control	430 Watt	€	340,00	F
66250102	Vortex 55	550 Watt	€	300,00	F
66250302	Vortex 55 VV	550 Watt	€	309,00	F
66250502	Vortex 55 VVS con controllo / with stabilizer / avec contrôl / con control	550 Watt	€	369,00	F
66270102	Vortex 75	750 Watt	€	340,00	F
66270302	Vortex 75 VV	750 Watt	€	350,00	F
66270502	Vortex 75 VVS con controllo / with stabilizer / avec contrôl / con control	750 Watt	€	440,00	F
66203000	Asta / Shaft / Barre / Barra 300 mm		€	158,00	F
66204000	Asta / Shaft / Barre / Barra 400 mm		€	163,00	F
66205000	Asta / Shaft / Barre / Barra 500 mm		€	182,00	F
66209000	Frusta / Whisk / Fouet / Batidor		€	190,00	F
IB2280122	Supporto a muro / Wall support / Support à mur / Soporte de pared		€	37,00	F
	Supporto pentola / Supporto pentola / Support casserole / Soporte para marmita		€	/	F
IB4004060	Valigetta Vortex / Vortex container / Mallette Vortex/ Maletti a Vortex		€	73,00	F
66209900	Espositore Vortex / Displayer Vortex / Espositor e Vortex / Présentoir Vortex		€	350,00	E

Confezioni tipo per Vortex
Standard packages
Kits assemblés standard pour Vortex
Embalaje standard para Vortex

	Mobire Mobir Moirur Moir	Asta Shaft Barre Barra	Frusta Whisk Fouet Batidor	Supporto a muro Wall support Support à mur Soporte de pared			CE	
66230102K1.0	430	30			€		429,00	E
66250102K1.1	550	40			€		463,00	E
66270102K1.2	750	50			€		522,00	E
66230302K1.0	430 VV	30			€		438,00	E
66250302K1.1	550 VV	40			€		472,00	E
66270302K1.2	750 VV	50			€		532,00	E
66230302K2.0	430 VV	30	X		€		628,00	E
66250302K2.1	550 VV	40	X		€		662,00	E
66270302K2.2	750 VV	50	X		€		722,00	E
66230502K3.0	430 VVS	30	X	X	€		725,00	E
66250502K3.1	550 VVS	40	X	X	€		759,00	E
66270502K3.2	750 VVS	50	X	X	€		849,00	E



CICLONE



15 -23 -30

	Potenza Power Puissance Potencia	Alimentazione Power source Alimentation Alimentación	Giri coltelli Knives revolutions Tours couteaux Giros cuchillos	Dimensioni max Overall dimensions Dimensions max Dimensiones máx	Peso netto Net weight Poids net Peso neto	Dimensioni imballo Shipping Emballage Dimensiones embalaje	Peso lordo Gross weight Poids brut Peso bruto
	Watt/HP		R.p.m.	mm	kg	mm	kg
Ciclone 15	150/0,20	230V/50 Hz	12.000	182x100xh 340	-	-	-
Ciclone 15 VV	150/0,20	230V/50 Hz	0+12.000	182x100xh 340	-	-	-
Ciclone 23	230/0,30	230V/50 Hz	12.000	182x100xh 340	-	-	-
Ciclone 23 VV	230/0,30	230V/50 Hz	0+12.000	182x100xh 340	-	-	-
Ciclone 30	300/0,40	230V/50 Hz	12.000	182x100xh 348	-	-	-
Ciclone 30 VV	300/0,40	230V/50 Hz	0+12.000	182x100xh 348	-	-	-
Asta 25	-	-	-	h 200	-	-	-
Asta 35	-	-	-	h 300	-	-	-

					CE	
66010102	Ciclone 15	150 Watt	€		208,00	F
66010302	Ciclone 15 VV	150 Watt	€		250,00	F
66020102	Ciclone 23	230 Watt	€		215,00	F
66020302	Ciclone 23 VV	230 Watt	€		257,00	F
66030102	Ciclone 30	300 Watt	€		225,00	F
66030302	Ciclone 30 VV	300 Watt	€		267,00	F
66002500	Asta / Shaft / Barre / Barra 250 mm		€		100,00	
66003500	Asta / Shaft / Barre / Barra 350 mm		€		110,00	



STERILIZZATORI



	Q.tà lampade e potenza N.° Lampes et puissance N.° Lámparas y potencia	Alimentazione Power source Alimentation Alimentación	Absorbimento Absorbition Puissance absorbée Absorción	Termostato Thermostat Thermoset Termóstato	Timer Timer Temporizador	Capacità coltelli Knives capacity Capacité couteaux Capacidad de cuchillos	Dimensioni max Overall dimensions Dimensions max Dimensiones máx	Peso netto Net weight Poids net Peso neto	Dimensioni imballo Shipping Emballage Dimensiones embalaje	Peso lordo Gross weight Poids brut Peso bruto	Lunghezza max lama coltello Max. blade length Longueur max lame
	watt			°C	min.	n.	mm	kg	mm	kg	
Ster. a liquido	-	-	-	-	-	-	400x135xH395	6	530x160x500	7	320
Ster. elettrico coibentato	1200	230V/50Hz	-	0+110	-	-	310x140xH395+70	8	530x160x500	9	270
Sterilizzatore e 16W	n.1 - 16	230V/50 Hz	70 w ~0,3A	-	0+120	15	400x140xH620	9	470x250x700	10	310
Sterilizzatore e 16W Napoli	n.1 - 16	230V/50 Hz	70 w ~0,3A	-	0+120	15	400x140xH760	9,5	460x240x840	10,5	450
Sterilizzatore e 24W	n.3 - 8	230V/50 Hz	100 w ~0,5A	-	0+120	20	400x300xH620	13	470x400x700	14	290

				CE	
40901100	Sterilizzatore e con scarico / Sterilizer with outlet / Stérilisateur avec décharge / Esterilizador con descargo	€		185,00	B
40902502	Sterilizzatore e elettrico coibentato NEW / Electric insulated sterilizer NEW Stérilisateur électrique isolé NEW / Esterilizador eléctrico aislado	€		415,00	B
40903002	Sterilizzatore e U.V.A. 16 W	€		470,00	B
40903202	Sterilizzatore e U.V.A. NAPOLI	€		490,00	B
40903502	Sterilizzatore e U.V.A. 24 W	€		785,00	B

45K - 40M - 50 M2 - 51 M - 51 MB

DISPENSER



	Potenza Power Puissance Potencia	Alimentazione Power source Alimentation Alimentación	Roll of film Max film roll Max bobine film Rolls película	Piano riscaldante Heating surface Plateau chauffant Plano calentador	Dimensioni max Overall dimensions Dimensiones máx	Peso netto Net weight Poids net Peso neto	Dimensioni imballo Shipping Emballage Embalaje	Peso lordo Gross weight Poids brut Peso bruto
	Watt/HP		mm	lt/kg	mm	kg	mm	kg
45K	450	230V/50 Hz	400	385x125	485x600xH140	5	520x640x180	7
40M	450	230V/50 Hz	400	290x165	465x500+125xH290	12,5	550x520x380	14
50M2	450	230V/50 Hz	500	290x165	590x500+125xH290	13,6	660x580x370	15
51M	400	230V/50 Hz	510	300x175	590x720+130xH185	14,5	680x790x280	16
51 MB	400	230V/50 Hz	510	300x175	590x720+130xH185	14,5	680x790x280	16

							CE	
40602300	Confezionatrice e Dispenser Mn inox / 45 K			taglio barra	€		270,00	B
40602700	Confezionatrice e Dispenser Mn inox / 40 M			taglio filo	€		390,00	B
40602100	Confezionatrice e Dispenser Mn inox / 50 M2			taglio filo	€		470,00	B
40602000	Confezionatrice e Dispenser Mn inox / 51 M			taglio filo	€		510,00	B
40602012	Confezionatrice e Dispenser Mn inox / 51 MB			taglio barra	€		590,00	B
	Conf. N° 6 Confezionatrice Dispenser Mn inox / 45 K				€		1.458,00	
48010010	VITAFILM m 1500; mm 300; mc 13				€		57,00	C
48010011	VITAFILM m 1500; mm 350; mc 13				€		67,00	C
48010012	VITAFILM m 1500; mm 400; mc 13				€		80,00	C
48010013	VITAFILM m 1500; mm 450; mc 13				€		90,00	C
48010014	VITAFILM m 1500; mm 500; mc 13				€		100,00	C

300/2 - 400/2 - 400/2T

SIGILLATRICI



	Potenza Power Puissance Potencia	Temperatura di sigillatura Sealing temperature Température desceller Temperatura desellado	Tempo di sigillatura Sealing time Temps de sceller Tempo de sellado	Tempo di sigillatura regolabile Sealing time Temps de sceller Tempo de sellado regulado	Lunghezza sigillatura Sealing length Longueur de sceller Longitud sellado	Spessore sigillatura Sealing thickness Epaisseur de sceller Espesor sellado	Dimensioni max Overall dimensions Dimensiones máx	Peso netto Net weight Poids net Peso neto	Materiale sigillabile Sealable materials Matériau à sceller Material para sellar
	watt	°C	sec	sec	mm	mm	mm	kg	
S 300/2	510	150 max	min 0,5 - max 2,5	1,5	2 + 5 mm 200 + 300 mm	0,5	455x75xH210 (open)	3,5	PE, PP, LDPE, PVC
S 400/2	700	150 max	min 0,5 - max 2,5	1,5	2 + 5 mm 200 + 400 mm	0,5	555x75xH210 (open)	3,5	PE, PP, LDPE, PVC
S 400/2T	700	150 max	min 0,5 - max 2,5	1,5	2 + 5 mm 200 + 400 mm	0,5	555x75xH210 (open)	4	PE, PP, LDPE, PVC

							CE	
3301S 3002	S 300/2					€	110,00	C
3301S 4002	S 400/2					€	150,00	C
3301S 4002T	S 400/2T con taglierina / with blade / avec coupe use / con cizalla					€	200,00	C
3301S 3602	Conf. N° 6 mod. S 300/2					€	594,00	C x 6
3301S 4602	Conf. N° 6 mod. S 400/2					€	810,00	C x 6
3301S 4602T	Conf. N° 6 mod. S 400/2T					€	1.080,00	C x 6

★ PELAPATA TE



4 - 8 - 15 - 6 - 10 - 20

	Potenza Power Puisissance Potencia	Alimentazione Power source Alimentation Alimentación	Capacità Capacity Capacité Capacidad	Giri Revolutions Tours Giros	Prod. Oraria Output. Débit. Producción oraria	Dimensioni max Overall dimensions Dimensions max Dimensiones máx	Peso netto Netweight Poids net Peso neto	Dimensioni imballo Shipping Emballage Dimensiones embalaje	Peso lordo Gross weight Poids brut Peso bruto
	Watt/HP		kg		Kg/h	mm	kg	mm	kg
PP 4 ECO	300/0,4	230-4 00V/50 Hz	4	-	70	510x320xh 580	20	720x520x750	26
PP 4	380/0,5	230-4 00V/50 Hz	4	-	100	400x420xh 920	25	720x520x750	31
PP 8	500/0,7	230-4 00V/50 Hz	8	-	200	400x500xh 1100	31	710x500x1200	43
PP 15	1100/0,15	230-4 00V/50 Hz	15	-	400	440x600xh 1250	36	710x500x1200	45
PPJ 10	735/1	230-4 00V/50 Hz	10	320	-	470x775xh 1310 open	45,5	500x710x1200	54,5
PPJ 20	1102/1,5	230V/50 Hz	20	275	-	560x880xh 1310 open	59	640x770x1400	70

				Normale	CE	
40282002	PP 4 ECO Mn	Kg 4	€	1.080,00	1.250,00	D
40282003	PP 4 ECO Tf	Kg 4	€	1.030,00	1.220,00	D
40302002	PP 4 EXPO 90' Mn	Kg 4	€	1.240,00	1.545,00	D
40302003	PP 4 EXPO 90' Tf	Kg 4	€	1.200,00	1.495,00	D
40303002	PP 8 EXPO 90' Mn	Kg 8	€	1.565,00	1.910,00	I
40303003	PP 8 EXPO 90' Tf	Kg 8	€	1.525,00	1.860,00	I
40304002	PP 15 EXPO 90' Mn	Kg 15	€	1.740,00	2.230,00	I
40304003	PP 15 EXPO 90' Tf	Kg 15	€	1.690,00	2.170,00	I
4100502F	PPJ 6 Mn	Kg 6	€	/	/	D
4100503F	PPJ 6 Tf	Kg 6	€	/	/	D
41001002F	PPJ 10 Mn	Kg 10	€	/	2.350,00	I
41001003F	PPJ 10 Tf	Kg 10	€	/	2.300,00	I
41002002F	PPJ 20 Mn	Kg 20	€	/	2.860,00	I
41002003F	PPJ 20 Tf	Kg 20	€	/	2.700,00	I

40300050	Cavalletto inox supporto setaccio / S/steel base support for sieve Chevalet inox support tamis / Caballete inox soporte tamiz	PP 4-8 EXPO	€		180,00	B
40300055	Cavalletto inox supporto setaccio / S/steel base support for sieve Chevalet inox support tamis / Caballete inox soporte tamiz	PP 15	€		210,00	B
40300051	Cavalletto inox supporto setaccio / S/steel base support for sieve Chevalet inox support tamis / Caballete inox soporte tamiz	PPJ 10	€		250,00	B
40300056	Cavalletto inox supporto setaccio / S/steel base support for sieve Chevalet inox support tamis / Caballete inox soporte tamiz	PPJ 20	€		290,00	B
40300057	Setaccio / Sieve Tamis / Tamiz	PP 4 - PP 8 - PPJ 10	€		30,00	
40300059	Setaccio / Sieve Tamis / Tamiz	PP 15 - PPJ 20	€		70,00	
40300061	Cavalletto inox con setaccio / Stainless steel base with sieve Chevalet inox avec tamis / Caballete Inox con tamiz	PP 4-8 EXPO	€		210,00	B
40300063	Cavalletto inox con setaccio / Stainless steel base with sieve Chevalet inox avec tamis / Caballete Inox con tamiz	PP 15	€		280,00	B
40300062	Cavalletto inox con setaccio / Stainless steel base with sieve Chevalet inox avec tamis / Caballete Inox con tamiz	PPJ 10	€		280,00	B
40300065	Cavalletto inox con setaccio / Stainless steel base with sieve Chevalet inox avec tamis / Caballete Inox con tamiz	PPJ 20	€		360,00	B
	Voltaggio speciale / Motors other than std. 220V/380V 50 Hz, please add Voltage spécial / Voltaje especial		€		40,00	

4 - 8 - 15 - 5 - 10 - 20

LAVACOZZE, PELACIPOLLE



	Potenza Power Puisance Potencia	Alimentazione Power source Alimentation Alimentación	Capacità Capacity Capacité Capacidad	Giri Revolutions Tours Giros	Prod. Oraria Output Débit Producción oraria	Dimensioni max Overall dimensions Dimensions max Dimensiones máx	Peso netto Net weight Poids net Peso neto	Dimensioni imballo Shipping Emballage Dimensiones embalaje	Peso lordo Gross weight Poids brut Peso bruto
	Watt/HP		kg		Kg/h	mm	kg	mm	kg
LC 4	380/0,5	230-400V/50 Hz	4	-	100	400x420xh 920	25	720x520x750	31
LC 8	500/0,7	230-400V/50 Hz	8	-	200	400x500xh 1100	31	710x500x1200	43
LC 15	1100/0,15	230-400V/50 Hz	15	-	400	440x600xh 1250	36	710x500x1200	45
PC 10	1100/1,5	230-400V/50 Hz	10	-	400	440x600xH 1250	36	710x500x1200	45
LCJ 10	735/1	230-400V/50 Hz	10	150	-	470x775xh 1310 open	48,5	500x710x1200	57,5
LCJ 10 - 2V PP/LC	368-662/0,50-0,90	230-400V/50 Hz	10	320	-	470x775xh 1310 open	48,5	500x710x1200	57,5
LCJ 10 - 2V PP/AV	368-552/0,50-0,75	230-400V/50 Hz	10	320	-	470x775xh 1310 open	45,5	500x710x1200	54,5
LCJ 20	1102/1,5	230V/50 Hz	20	150	-	560x880xh 1310 open	59	640x770x1400	70

			Normale	CE	
40312002	LC 4 Mn	€		1.900,00	D
40312003	LC 4 Tf	€		1.870,00	D
40313002	LC 8 Mn	€		2.260,00	I
40313003	LC 8 Tf	€		2.210,00	I
40314002	LC 15 Mn	€		2.560,00	I
40314003	LC 15 Tf	€		2.510,00	I
41020502F	LCJ 5 Mn	€	/	/	I
41020503F	LCJ 5 Tf	€	/	/	I
41021002F	LCJ 10 Mn	€	/	2.380,00	I
41021003F	LCJ 10 Tf	€	/	2.340,00	I
41022002F	LCJ 20 Mn	€	/	2.910,00	I
41022003F	LCJ 20 Tf	€	/	2.810,00	I
41001023F	LC/PPJ 2 V 160/320 gg Tf	€	/	2.460,00	I
	Lavacozze-Pelapatate / Shell washer-Potato peeler Lave-moules-Eplucheuse / Lavamejillones-Peladora de papas				
IV9800775P	Vasca completa di piattello per LC / Container with plate for shell washer Cuve complète avec plateau pour LC / Cuba completa de disco para LC	€	660,00	660,00	
41001043F	PP/AVJ 2 V 320/450 gg Tf	€	/	2.460,00	F
	Pelapatate-Asciugaverdure / Potato peeler-Vegetable drier Eplucheuse-sèche-légumes / Peladora de papas-Secaverdura				
IV98406200	Cestello per asciugaverdure / Container for vegetable drier Panier sèche légumes / Cesto secaverdura	€	200,00	200,00	B
	Vasca completa di piattello per PP-AV / Container with plate for shell washer Cuve complète avec plateau pour PP-AV / Cuba completa de disco para PP-AV	€	660,00	660,00	
IV9800695	Tramoggia completa di rubinetto / Tray with water tap Trémie complète de robinet / Tolva completa de grifo	€	120,00	120,00	B
IV407551LCJ	Convolgatore porta sacchetto / Loyer opening for shopping bags Goulotte avec arrête-enveloppe / Convolgatore porta sacchetto	€		80,00	
IV7810610	Attacco rapido entrata acqua / Fast connection/removal of water entry Branchement rapide pour l'amenée d'eau / Attacco rapido entrata acqua	€		30,00	
40334002P	PC 10 Mn Pelacipolle / Onion peeler / Epluche-oignons / Peladora de cebollas	€		2.570,00	F
40334003P	PC 10 Tf Pelacipolle / Onion peeler / Epluche-oignons / Peladora de cebollas	€		2.520,00	F



TOSTIERE

4 - 6 - 12



	Potenza Power Puissance Potencia	230V 50/60 Hz F+N 115V 60 Hz F+N 400V 50/60 Hz 3F + N 230V 50/60 Hz 3F	Capacità toast Toasting capacity Capacidad emparedados	Resistenza al quarzo Quartz resistant Resistencias a quartz Resistencias de cuarzo	Resistenza corazzata Shock-proof coated heating elements Resistencias reforzadas Resistencias acorazadas	Dimensioni interne Internal dimensions Dimensions intérieures Dimensiones internas	Dimensioni max Overall dimensions Dimensions extérieures Dimensiones máx	Peso netto Net weight Poids net Peso neto	Dimensioni imballo Shipping Emballage Dimensiones embalaje	Peso lordo Gross weight Poids brut Peso bruto
	watt		n.			mm	mm	kg	mm	kg
4Q/D	1600	X 0	4	si	no	235x240	360x265+145xh240	6,5	550x290x280	7,5
6Q/D	2400	X 0	6	si	no	355x240	475x265+145xh240	7	550x290x280	9
6Q/D	2800	X	6	si	no	355x240	475x265+145xh240	7	550x290x280	9
6C/D	2900	X	6	no	si	355x240	475x265+145xh240	7	550x290x280	9
12Q	3000	X	12	si	no	355x240	475x265+145xh365	8	550x290x410	11
12Q	3600	X	12	si	no	355x240	475x265+145xh365	8	550x290x410	11
12C	4350	X	12	no	si	355x240	475x265+145xh365	8	550x290x410	11

				CE	
35004102SI	4Q TOSTIERA 1.600 watt	€		190,00	C
35004202SI	4Q TOSTIERA 1.600 watt con deviatore / w/.selector / avec déviateur / con desviador	€		200,00	C
35006102SI	6Q TOSTIERA 2.400 watt	€		206,00	C
35006202SI	6Q TOSTIERA 2.400 watt con deviatore / w/.selector / avec déviateur / con desviador	€		216,00	C
35106102SI	6Q TOSTIERA 2.800 watt	€		220,00	C
35106202SI	6Q TOSTIERA 2.800 watt con deviatore / w/.selector / avec déviateur / con desviador	€		230,00	C
35506102SI	6C TOSTIERA 2.900 watt resistenza corazzata / w/.shock-proof coated heating elements / resistencias cuirassées / con resistencias acorazadas	€		185,00	C
35506202SI	6C TOSTIERA 2.900 watt resistenza corazzata - con deviatore / w/.shock-proof coated heating elements - w/.selector / resistencias cuirassées - avec déviateur / con resistencias acorazadas - con desviador	€		195,00	C
35012102SI	12Q TOSTIERA 3.000 watt	€		304,00	C
35112102SI	12Q TOSTIERA 3.600 watt	€		314,00	C
35512102SI	12C TOSTIERA 4.350 watt resistenza corazzata / w/.shock-proof coated heating elements / resistencias cuirassées / con resistencias acorazadas	€		265,00	C
	Conf. N° 6 mod. 4Q	€		1.026,00	C x 6
	Conf. N° 6 mod. 4Q con deviatore / w/.selector / avec déviateur / con desviador	€		1.080,00	C x 6
	Conf. N° 6 mod. 6Q	€		1.112,40	C x 6
	Conf. N° 6 mod. 6Q con deviatore / w/.selector / avec déviateur / con desviador	€		1.166,40	C x 6
IGS184	Pinza normale / Sandwich tweezer, regular / Pince normale / Pinza normal	€		6,80	
IGS186	Pinza lunga / Extra long sandwich / Pince longue / Pinza larga	€		9,50	
IGS190	Griglia interna / Full-size grate / Grille simple / Rejilla interna	€		5,50	
IGS192	Griglia doppia / Double grate / Grille double / Rejilla doble	€		11,00	

SALAMANDRE



	Potenza Power Puissance Potencia	230V/50/60 Hz F+N 115V/60 Hz F+N 400V/50/60 Hz 3F + N 230V/50/60 Hz 3F	Zone riscaldanti Heating areas Zones chauffant Zonas calentadoras	Dimensioni interne Internal dimensions Dimensions intérieures Dimensiones interiores	Vano cottura Cooking compartment Module de cuisson Espacio de cocción	Dimensioni max Overall dimensions Dimensions max Dimensiones máx	Peso netto Net weight Poids net Peso neto	Dimensioni imballo Shipping Emballage Dimensiones embalaje	Peso lordo Gross weight Poids brut Peso bruto
	watt		n.	mm	mm	mm	kg	mm	kg
Basic	2800	X	1	480x330xH320	-	620x350+95xH430	23	670x450x475	27
Fissa	2800	X	1	480x330xH320	-	620x350+95xH430	25	670x450x475	29
SALAMANDRA PRO I/2 G	1700	X 0 X	1	-	385x350	400x545xH510	45	500x630x650	50
SALAMANDRA PRO I/I G	3400	X 0 X	2	-	585x350	600x545xH510	56	700x630x650	61

				CE	
30140502	SALAMANDRA BASIC	€		550,00	A
30141002	SLAMANDRA FISSA	€		660,00	A
30143502	SALAMANDRA MOBILE mod: PRO I/2 G	€		1.240,00	G
30142502	SALAMANDRA MOBILE mod: PRO I/I G	€		1.660,00	G
IB2280140	Supporto a muro / Wall support / Support à mur / Soporte de pared	PRO I/2 G	€	120,00	B
IB2280130	Supporto a muro / Wall support / Support à mur / Soporte de pared	PRO I/I G	€	140,00	B

ROLLER TOAST



	Potenza Power Puissance Potencia	230V/50/60 Hz F+N 115V/60 Hz F+N 400V/50/60 Hz 3F + N 230V/50/60 Hz 3F	Prod. Oraria Output Débit Producción oraria	Larghezza tappeto Width of gridiron Largeur tapis de cuisson Ancho de la alambra	Lunghezza tappeto Length of gridiron Longueur tapis de cuisson Longitud de la alambra	Dimensioni max Overall dimensions Dimensions max Dimensiones máx	Peso netto Net weight Poids net Peso neto	Dimensioni imballo Shipping Emballage Dimensiones embalaje	Peso lordo Gross weight Poids brut Peso bruto
	watt		n.	mm	mm	mm	kg	mm	kg
Roller Breakfast	2660	X 0 X	200	220	330	370x480+150xH340	15	450x660x440	17
Roller Breakfast VV	2660	X 0 X	80+360	220	330	370x480+150xH340	15,5	450x660x440	17,5
Roller Long	3000	X 0 X	410	305	410	430x530+340xH360	25	840x540x500	27
Roller Long VV	3000	X 0 X	150+480	305	410	430x530+340xH360	25,5	840x540x500	27,5
Roller Bruschetta	3000	X 0 X	75+230	305x2	410x2	450x535+350+385xH560	27	840x540x500	30
Roller Fryer VV	4900	X X	-	295	425 sup. 520 inf.	520x550+ 135+420xH500	46	-	-

				CE	
30145502	ROLLER TOAST BREAKFAST	€		970,00	G
30145602	ROLLER TOAST BREAKFAST VV	€		1.020,00	G
30145002	ROLLER TOAST LONG	€		1.260,00	G
30145102	ROLLER TOAST LONG VV	€		1.310,00	G
30145302	ROLLER PER BRUSCHETTA VV	€		1.810,00	G
30146502	ROLLER FRYER VV	€		2.960,00	G

★ **PIASTRE**



	Potenza Power Puisance Potencia	230V/50/60 Hz F+N 115V/60 Hz F+N 400V/50/60 Hz 3F+N 230V/50/60 Hz 3F	Sup. utile Useful surface Surface utile Superficie útil	Dimensioni max Overall dimensions Dimensions max Dimensiones máx.	Peso netto Net weight Poids net Peso neto	Dimensioni imballo Shipping Emballage Envolaje	Peso lordo Gross weight Poids brut Peso bruto
	watt		mm	mm	kg	mm	kg
ELIO L/R	1150	X 0	250x255	260x435 op en H500	15	450x270x310	18
CORT L/R/X	2050	X 0	355x255	380x435 op en H500	21	430x420x270	24
PD M/L/R/X	3100	X 0	500x255	515x435 op en H500	31	560x430x270	32
TOP M/L/R/X	1700	X 0	500x255	515x435xH170	18	560x430x270	21
CORT CRÊPES	2050	X 0	355x255	380x435 op en H500	21	430x420x270	225
PD WAFER	3100	X	Ø 170	515x435 op en H500	31	560x430x270	32

						CE	
34A1301002SI	ELIO R 1600	€				387,00	B
34A1601002SI	ELIO L 1600	€				387,00	B
34A1301102SI	ELIO R 1600 timer	€				395,00	B
34A1601102SI	ELIO L 1600 timer	€				395,00	B
34A2801002SI	CORT per CRÊPES	€				462,00	B
34A2301002SI	CORT R	€				447,00	B
34A2601002SI	CORT L	€				447,00	B
34A2301102SI	CORT R timer	€				458,00	B
34A2601102SI	CORT L timer	€				458,00	B
34A2402002SI	CORT XX inox	€				743,00	B
34A3331002SI	PDR 3000	€				640,00	B
34A3661002SI	PDL 3000	€				640,00	B
34A3631002SI	PDM 3000	€				640,00	B
34A3331102SI	PDR 3000 timer	€				660,00	B
34A3661102SI	PDL 3000 timer	€				660,00	B
34A3631102SI	PDM 3000 timer	€				660,00	B
34A3442002SI	PDXX 3000 inox	€				942,00	B
34A4331002SI	PDC R 3000 (piastra doppia con. cop. unico)	€				640,00	B
34A4661002SI	PDC L 3000 (piastra doppia con. cop. unico)	€				640,00	B
34A2101002SI	TOP CORT	€				340,00	B
34A3111002SI	TOP R	€				410,00	B
34A3221002SI	TOP L	€				410,00	B
34A3211002SI	TOP M	€				410,00	B
34A2202002SI	TOP X CORT inox	€				492,00	B
34A3222002SI	TOP X inox	€				560,00	B
34A3991002SI	PD WAFER	€				682,00	B
34A3991102SI	PD WAFER timer	€				700,00	B
	Diminuzione per grill non ceramicate / Decrease for not ceramic coated surfaces / Rémission pour grill non céramisés / Rebaja por grill no ceramicadas	€		Elio - Cort		21,00	
	Diminuzione per grill non ceramicate / Decrease for not ceramic coated surfaces / Rémission pour grill non céramisés / Rebaja por grill no ceramicadas	€		PD		30,00	

PIASTRE VETROCERAMICA



	Potenza Power Puissance Potencia	230V/50/60 Hz F+N 115V/60 Hz F+N 400V/50/60 Hz 3F+N 230V/50/60 Hz 3F	Sup. utile Useful surface Surface utile Superficie útil	Dimensioni max Overall dimensions Dimensions max Dimensiones max	Peso netto Net weight Poids net Peso neto	Dimensioni imballo Shipping Emballage Dimensiones embalaje	Peso lordo Gross weight Poids brut Peso bruto
	watt		mm	mm	kg	mm	kg
CORT V.	3000	X	340x290	435x490 open H550	13,5	490x560x260	15,5
CORT TOP V.	1500	X	340x290	435x455xH85	6,5	490x560x260	8,5
PD V.	3000	X	(260x290) x2	700x490 open H550	18	760x580x280	20
PD TOP V.	1500	X	(260x290) x2	700x490xH120	9	760x580x280	11

						CE	
34A24 040 02SI	Vetroceramica a CORT LL	€				820,00	B
34A26 040 02SI	Vetroceramica a CORT LR	€				850,00	B
34A23 040 02SI	Vetroceramica a CORT RR	€				880,00	B
34A34 440 02SI	Vetroceramica a PD LL	€				1.000,00	B
34A36 640 02SI	Vetroceramica a PD LR	€				1.060,00	B
34A22 040 02SI	Vetroceramica a CORT TOP	€				530,00	B
34A21 040 02SI	Vetroceramica a CORT TOP R	€				560,00	B
34A32 240 02SI	Vetroceramica a PD TOP	€				580,00	B

CREPIERE CROMATE



	Potenza Power Puissance Potencia	230V/50/60 Hz F+N 115V/60 Hz F+N 400V/50/60 Hz 3F+N 230V/50/60 Hz 3F	Sup. utile Useful surface Surface utile Superficie útil	Dimensioni max Overall dimensions Dimensions max Dimensiones max	Peso netto Net weight Poids net Peso neto	Dimensioni imballo Shipping Emballage Dimensiones embalaje	Peso lordo Gross weight Poids brut Peso bruto
	watt		mm	mm	kg	mm	kg
CREPIERA TONDA	2000	X 0	Ø 350	Ø 350 H135	10	410x430x220	11

						CE	
34A92 010 02SI	Crepiera Tonda senza incavo / w/o. mold sans évidure / sin cavidad	€				330,00	B
34A91 010 02SI	Crepiera Tonda con incavo / w/. mold avec évidure / con cavidad	€				330,00	B



TAGLIAWURSTEL



	Distanza lame Blades space Ecartem. des lames Distancia entre cuchillas	Lame Blades Lames Cuchillas	Dimensioni max Overall dimensions Dimensions max Dimensiones máx	Peso netto Net weight Poids net Peso neto	Dimensioni imballo Shipping Emballage Dimensiones embalaje	Peso lordo Gross weight Poids brut Peso bruto
	mm	n.	mm	kg	mm	kg
TW12	12	17	280x180H 180 H270 open	2,45	325x215x220	2,8
TW6	6	34	280x180H 180 H270 open	2,55	325x215x220	2,9

					CE	
30351200	TW 12 Tagliawurstel	mm 12	€		170,00	C
30350600	TW 6 Tagliawurstel	mm 6	€		205,00	C
	Vaschetta in plastica / Additio nal - Replacem ent collecting tray Bac en plasti que / Cub eta en plasti co		€		8,00	C
	Set di coltell i / Addition al - Replacem ent knives Set couteaux / Juego de cuch illas	TW 12	€		115,00	C
	Set di coltell i / Addition al - Replacem ent knives Set couteaux / Juego de cuch illas	TW 6	€		190,00	C



GIRAWURSTEL



	Potenza Power Puissance Potencia	230V.50/60 Hz F+N 115V/60 Hz F+N 400V.50/60 Hz 3F+N 230V.50/60 Hz 3F	Numero rulli Rollers number Nombre rouleaux Numero de rodillos	Larghezza rulli Rollers wdht Largeur rouleaux Ancho rodillos	Ø Rulli Ø Rollers Ø Rouleaux Ø Rodillos	Dimensioni max Overall dimensions Dimensions max Dimensiones máx	Peso netto Net weight Poids net Peso neto	Dimensioni imballo Shipping Emballage Dimensiones embalaje	Peso lordo Gross weight Poids brut Peso bruto
	watt		n.	mm	mm	mm	kg	mm	kg
GW5	850	X	5	350	25	450x230xH 170	5,4	500x300x220	6,8
GW7	1400	X	7	460	25	560x300xH 170	8,2	610x350x220	10
GW9	1650	X	9	460	25	560x375xH 180	11	620x440x250	14

					CE	
30300002	GW5 GIRAWURSTEL		€		790,00	C
30301002	GW7 GIRAWURSTEL		€		1.000,00	C
30303002	GW9 GIRAWURSTEL		€		1.140,00	C
30300502	GW5 GIRAWURSTEL	rulli teflonati / teflon-coated rolls rouleaux teflonés / cilin dros teflonados	€		890,00	C
30301502	GW7 GIRAWURSTEL	rulli teflonati / teflon-coated rolls rouleaux teflonés / cilin dros teflonados	€		1.200,00	C
30303502	GW9 GIRAWURSTEL	rulli teflonati / teflon-coated rolls rouleaux teflonés / cilin dros teflonados	€		1.360,00	C
	Coperc hio in plex iglass / Plexiglass cover Couverc le plexiglass / Tapa en plexiglass	GW 5 - 7 - 9	€		36,00	
	Aumento voltaggio speciale / Motors other than std. 220V/380V 50 Hz, please add Augmentati on voltag e spéc ial / Aumento para voltag e espec ial		€		28,00	

Y06



HOT - DOG



	Potenza Power Puissance Potencia	230V/50/60 Hz F+N 115V/60 Hz F+N 400V/50/60 Hz 3F+N 230V/50/60 Hz 3F	Capacità wüster Wurstel capacity Capacidad wüster Capacidad sabhidia	Riscaldatori pane Bread heaters Chaufage pain Calentador pan	Dim. cestello Size of basket Dimensions panier Dimension cesta	Dimensioni max Overall dimensions Dimensions max Dimensiones máx	Peso netto Net weight Poids net Peso neto	Dimensioni imballo Shipping Emballage Dimensiones embalaje	Peso lordo Gross weight Poids brut Peso bruto
	watt		n.	n.	mm	mm	kg	mm	kg
Hot Dog Y06 3	875	X 0	-	3	Ø 152 h194	450x320xH365	8,5	-	-
Hot Dog Y06 4	875	X 0	-	4	Ø 152 h194	450x320xH365	8,7	-	-

				CE	
30331602	HOT DOG Y06 3 Chiodi	€		435,00	B
30330602	HOT DOG Y06 4 Chiodi	€		454,00	B
	Aumento voltaggio speciale / Motors other than standard 220V/380V 50Hz, please add Augmentati on pour voltage spécial / aumento para voltaje especial	€		8,00	

ROBERTO



SCALDAPANE 6



	Potenza Power Puissance Potencia	230V/50/60 Hz F+N 115V/60 Hz F+N 400V/50/60 Hz 3F+N 230V/50/60 Hz 3F	Dim. cestello Size of basket Dimensions panier Dimension cesta	Dimensioni max Overall dimensions Dimensions max Dimensiones máx	Peso netto Net weight Poids net Peso neto	Dimensioni imballo Shipping Emballage Dimensiones embalaje	Peso lordo Gross weight Poids brut Peso bruto
	watt		mm	mm	kg	mm	kg
Roberto	875	X	-	450x320xH294	7,5	-	-

				CE	
30332602	SCALDAPANE 6 Chiodi di Roberto	€		300,00	B
	Aumento voltaggio speciale / Motors other than standard 220V/380V 50Hz, please add Augmentati on pour voltage spécial / aumento para voltaje especial	€		8,00	

VETRINETTE - BRIOCHES



	Potenza Power Puissance Potencia	230V/50/60 Hz F+N 115V/60 Hz F+N 400V/50/60 Hz 3F+N 230V/50/60 Hz 3F	Termostato Thermostat Thermostat Termostat	Piano inferiore 1st level Planche surface Plano inferior	Piano superiore 2nd level Deuxième surface Plano superior	Dimensioni Dimensions Dimensiones	Peso netto Net weight Poids net Peso neto	Dimensioni imballo Shipping Emballage Dimensiones embalaje	Peso lordo Gross weight Poids brut Peso bruto
	watt		°C.	mm		mm	kg	mm	kg
P1N	-	-	-	475x315	475x315	500x370x H305	5	600x440x360	6,5
P2N	-	-	-	475x315	475x305	500x370x H405	6,5	600x440x460	8
P1C	700	X	0-60	475x315	-	500x370x H305	5,5	600x440x360	7
P2C	700	X	0-60	475x315	475x305	500x370x H405	7	600x440x460	8,5

				CE	
30415102	P1N Vetrinetta Neutra 1 piano / single shelf / 1 étage / 1 plano	€		275,00	B
30416102	P2N Vetrinetta Neutra 2 piani / dual shelf / 2 étages / 2 planos	€		335,00	B
30415202	P1C Vetrinetta Calda 1 piano / single shelf / 1 étage / 1 plano	€		335,00	B
30416202	P2C Vetrinetta Calda 2 piani / dual shelf / 2 étages / 2 planos	€		390,00	B

★ VETRINETTA - FORNETTO PIZZA



	Potenza Power Puisance Potencia	230V/50/60 Hz F+N 115V/60 Hz F+N 400V/50/60 Hz 3F+N 230V/50/60 Hz 3F	Temperatura Temperature Température Temperatura	Dimensioni max Overall dimensions Dimensions max Dimensiones máx	Peso netto Net weight Poids net Peso neto	Dimensioni imballo Shipping Emballage Dimensiones embalaje	Peso lordo Gross weight Poids brut Peso bruto
	watt		°C	mm	kg	mm	kg
VETRINETTA D 38	1000	X 0	0+90	465x430xH 600	23	530x470x760	29
VETRINETTA D 42	1000	X 0	0+90	560x500xH 610	25	600x600x800	34
FORNETTO PIZZA	1000+750	X X	0+330	Inter. dim. 360x430x70 H170	15	470x430x180	17

		Normale	CE	
30410002	VETRINETTA pizza - brioche Ø 38	€	820,00	G
30411002	VETRINETTA pizza - brioche Ø 42	€	885,00	G
30412002	VETRINETTA pizza - brioche Ø 38 doppia porta / double door / porte double / puerta doble	€	900,00	G
30400002	FORNETTO per pizza applicabile vetri netta / fits under vetrinetta display applicabile vetrine / aplicable a la vitrina	€	415,00	B

★ PIASTRA SCALDAPIZZA



	Potenza Power Puisance Potencia	230V/50/60 Hz F+N 115V/60 Hz F+N 400V/50/60 Hz 3F+N 230V/50/60 Hz 3F	Temperatura Temperature Température Temperatura	Dimensioni max Overall dimensions Dimensions max Dimensiones máx	Peso netto Net weight Poids net Peso neto	Dimensioni imballo Shipping Emballage Dimensiones embalaje	Peso lordo Gross weight Poids brut Peso bruto
	watt		°C	mm	kg	mm	kg
PIASTRA SCALDAPIZZA INOX	430	X	0+60	500x500xH 90	13,4	550x550xH 90	15
PIASTRA SCALDAPIZZA VETRO TEMPERATO	430	X	0+60	500x500xH 90	13,4	550x550xH 90	15

			CE	
30425002	PIASTRA SCALDAPIZZA Inox / stainless steel / inox / inox	€	390,00	B
30422502	PIASTRA SCALDAPIZZA Vetro temperato / tempered glass pizza warmer Vitre trempé / Vidrio temperado	€	400,00	B

★ FORNO PIZZA



VESUVIO 7070

	Potenza Power Puisance Potencia	230V/50/60 Hz F+N 115V/60 Hz F+N 400V/50/60 Hz 3F+N 230V/50/60 Hz 3F	Temperatura Temperature Température Temperatura	Dimensioni interne Inner dimensions Dimensions intérieures Dimensiones internas	Dimensioni max Overall dimensions Dimensions max Dimensiones máx	Peso netto Net weight Poids net Peso neto	Dimensioni imballo Shipping Emballage Dimensiones embalaje	Peso lordo Gross weight Poids brut Peso bruto
	watt		°C	mm	mm	kg	mm	kg
FORNO PIZZA	7.500	x	0+450	700x700	983x861xH 377	-	-	-

			CE	
30401002	FORNO PIZZA Vesuvio 7070	€	1.700,00	B



PALE PER PIZZA ★

31021600	Palino in acciaio / Pizza peel stainless steel Petite pelle acier / Palita en acero	ø 16 h 170	€		47,00	E
31021800	Palino in acciaio / Pizza peel stainless steel Petite pelle acier / Palita en acero	ø 18 h 170	€		48,00	E
31022000	Palino in acciaio / Pizza peel stainless steel Petite pelle acier / Palita en acero	ø 20 h 170	€		55,00	E
31022600	Palino in acciaio / Pizza peel stainless steel Petite pelle acier / Palita en acero	ø 26 h 170	€		57,00	E
31041600	Palino in acciaio forato / Pizza peel stainless steel with holes Petite pelle acier percé / palita en acero perforada	ø 16 h 170	€		56,00	E
31041800	Palino in acciaio forato / Pizza peel stainless steel with holes Petite pelle acier percé / palita en acero perforada	ø 18 h 170	€		58,00	E
31042000	Palino in acciaio forato / Pizza peel stainless steel with holes Petite pelle acier percé / palita en acero perforada	ø 20 h 170	€		61,00	E
31083033	Pala in alluminio / Pizza peel aluminum Pelle aluminium / Pala en aluminio	30 x 33 h. 170	€		59,00	E
31083333	Pala in alluminio / Pizza peel aluminum Pelle aluminium / Pala en aluminio	33 x 33 h. 170	€		61,00	E
31083636	Pala in alluminio / Pizza peel aluminum Pelle aluminium / Pala en aluminio	36 x 36 h. 170	€		65,00	E
31084545	Pala in alluminio / Pizza peel aluminum Pelle aluminium / Pala en aluminio	45 x 45 h. 170	€		77,00	E
31160900	Paletta raccogli cenere / Ash removing peel Palette ramasse cendre / Palita para la recolección	h. 170	€		48,00	C
31150100	Spazzolone in fibra naturale / Natural fiber brush Brosse fibre naturelle / Cepillo grande de fibra natural	h. 170	€		47,00	C
31150200	Ricambio spazzola in fibra naturale / Replacement brush Rechange brosse fibre naturelle / Repuesto cepillo de fibra natural		€		10,00	C

ACCESSORI PIZZERIA / PIZZA ACCESSORIES ★
 ACCESSOIRES PIZZERIA / ACESORIOS PIZZERIA

31140220	Supp. a muro per appendere 3 paline e 2 pale Pizza peel hanger (holds up to 3 large and 2 small peels), wall mounted Support à mur pour accrocher 3 petites pelles et 2 pelles Soporte de pared para colgar 3 palitas y 2 palas		€		77,00	A
31140200	Supp. a muro per appendere palini / Small pizza peel hanger, wall mounted Support à mur pour accrocher petites pelles / Soporte de pared para colgar palitas		€		28,00	C
31140310	Supp. a colonna per appendere pale h. 180 Free-standing pizza peel hanger, 180 cm. tall Support à colonne pour accrocher les pelles h. 180 Soporte de pared para colgar palas h. 180		€		160,00	E
31140400	Cassetta in legno per appoggiare pale / Floor wooden pizza peel holder Caissette en bois pour appuyer les pelles / Caja de madera para apoyar palas		€		68,00	B
31140500	Cassetta in acc. per appoggiare pale / Floor stainless steel pizza peel holder Caissette en acier pour appuyer les pelles / Caja de madera para apoyar palas		€		35,00	B
31160200	Alare da forno per supporto legno / Oven wood support Chenet de four pour support bois / Morillo para apoyo de la leña		€		28,00	C
31160300	Bucasfoglia in lega / "Bucasfoglia" dough cocker Perce-feuille en alliage / Recogedor de hojaldré de aleación de aluminio		€		44,00	C
31160400	Rotella tagliapizza a mod. A / Model A pizza wheel cutter, plastic handle / Rondelle coupe-pizza a mod. A / Ruedecilla corta pizza mod. A		€		18,00	C
31160500	Caccia pizza in acciaio / "Caccia pizza" pizza server peel Caccia pizza en acier / palita redonda pizza		€		39,00	C
31160600	Spatola acciaio inox manico plastica / Stainless steel spatula, plastic handle, long Spatula en acier inox poignée en plastique / Espátula acero inox mango en plástico	mm 100	€		5,50	C

★ ACCESSORI PIZZERIA

31160700	Spatola acciai o inox ma nico plastica / Stainless steel spatula, plastic handle Spatule en acier inox poignée en plastique / Espátula acero inox mango en plástico	mm 120	€			7,00	C
31160800	Paletta servipizza in ox / "Paletta Servipizza" pizza server, stainless steel Pelle serv e-pizza a inox / Palita para servir pizza in ox	mm 5 x 13	€			14,00	C
70353315	Taglier e in polietilene per pizza / Polyethylene cutting board Planch e polyéthylène pour pizza / Planos en polietileno para pizza	ø 33 cm	€			55,00	C
70354015	Taglier e in polietilene per pizza / Polyethylene cutting board Planch e polyéthylène pour pizza / Planos en polietileno para pizza	ø 40 cm	€			60,00	C
70355015	Taglier e in polietilene per pizza / Polyethylene cutting board Planch e polyéthylène pour pizza / Planos en polietileno para pizza	ø 50 cm	€			70,00	C

★ GRUPPI MULTIPLI BAR



	Potenza Power Puisance Potencia	230V 50/60 Hz F+N 115V 60 Hz F+N 400V 50/60 Hz 3F+N 230V 50/60 Hz 3F	Giri/min. Revolutions/min. Tours/min. Vueltas por minuto	Dimensioni max Overall dimensions Dimensions max Dimensiones máx	Peso netto Netweight Poids net Peso neb	Dimensioni imballo Shipping Emballage Dimensiones embalaje	Peso lordo Gross weight Poids brut Peso bruto
	watt		°C	mm	kg	mm	kg
Multiplio 2S	450 - 150	X 0	18.000 - 320	252x445x495	7	380x600x600	8
Multiplio 2S/L	450 - 150	X 0	18.000 - 320	252x445x495	8	380x600x600	9
Multiplio 3S	450 - 150 - 100	X 0	18.000 - 320 - 14.000	317x490x510	9	380x600x600	10
Multiplio 3S/L	450 - 150 - 100	X 0	18.000 - 320 - 14.000	317x490x510	10	380x600x600	11
Multiplio 4S/L	450 - 150 - 100 - 100	X 0	18.000 - 320 - 14.000	382x490x510	12	380x600x600	13
G2S INOX	260 - 50	X	-	190x450x605	16	300x500x550	17

			Normale	CE	
65400002	MULTIPLIO 2S	(Dragone - Apollo)	€	640,00	B
65450002	MULTIPLIO 3S	(Dragone - Apollo - Sirio)	€	812,00	B
65460002	MULTIPLIO 4S	(Dragone - Apollo - 2 Sirio)	€	1.040,00	B
65402002	MULTIPLIO 2S/L	(Dragone - Apollo con leva)	€	732,00	B
65452002	MULTIPLIO 3S/L	(Dragone - Apollo con leva - Sirio)	€	906,00	B
65462002	MULTIPLIO 4S/L	(Dragone - Apollo con leva - 2 Sirio)	€	1.135,00	B
60120002	G2S INOX spremiagrumi - frullatore in ox		€ 1.200,00	1.300,00	B

★ TRITAGHIACCIO



TRITON

	Potenza Power Puisance Potencia	230V 50/60 Hz F+N 115V 60 Hz F+N 400V 50/60 Hz 3F+N 230V 50/60 Hz 3F	Mobre Mobr Mobr Mobr	Girifoglio Blade speed Tour/m Vueltas cuchillo	Capacità vaschetta Capacity bowl Capacité bac Capacidad recipiente	Dimensioni Dimensions Dimensions Dimensiones	Peso netto Netweight Poids net Peso neb	Dimensioni imballo Shipping Emballage Dimensiones embalaje	Peso lordo Gross weight Poids brut Peso bruto	
	watt		r.p.m.	r.p.m.	lt	mm	kg	mm	kg	
TRITON	350	X 0	12.000	1500	2	465x210 H295-H480 max	8,4	540x270x310	10	
60090002	Tritaghiaccio TRITON 350 W						€	CE	660,00	C

SPREMIAGRUMI MANUALE



ICE SPAGHETTI



	Dimensioni interne bicchiere Mould inside dimensions Dim. intérieure verre Dimensiones interna: vaso	Dimensioni max Overall dimensions Dimensiones máx	Peso netto Net weight Poids net Peso neto	Dimensioni imballo Shipping Emballage Dimensiones embalaje	Peso lordo Gross weight Poids brut Peso bruto
	mm	mm	kg	mm	kg
Ice Spaghetti	Ø 65x80	205x245xh 520	3,6	505x225x235	4
Spremiagrumi man.	-	205x245xh 520	3,4	505x225x235	3,8

		Normale	CE	
60002000	SPREMIAGRUMI MANUALE	€	268,00	C
60001000	ICE SPAGHETTI (con un bicchiere) / (comes with one "Spaghetti" mold) (Avec un bol) / (con un vaso)	€	240,00	C
	Confezione da 6 pezzi anche mista SPREMIAGRUMI - ICE SPAGHETTI SPREMIAGRUMI - ICE SPAGHETTI 6-unit set (mix and match) Set 6 pièces, mixtes aussi SPREMIAGRUMI - ICE SPAGHETTI Pedido de 6 unidades mixta también SPREMIAGRUMI / ICE SPAGHETTI	€	1.380,00	C x 6
	Bicchieri e supplementare spaghetti / Additional - Replacement "Spaghetti" mold Bol supplémentaire spaghetti / Vaso adicional forma spaghetti	€	44,00	
	Bicchieri e supplementare tagliatelle / Additional - Replacement "Tagliatelle" mold Bol supplémentaire tagliatelle / Vaso adicional tallarines	€	44,00	
	Bicchieri e supplementare asparagi / Additional - Replacement "Asparagus" mold Bol supplémentaire asperges / Vaso adicional espárgo	€	44,00	

SIRIO



FRAPPE'

	Potenza Power Puissance Potencia	230V 50/60 Hz F+N 115V/60Hz F+N 400V 50/60 Hz 3F+N 230V, 50/60 Hz 3F	Motore Motor Moteur Motor	Capacità bicchiere Jug capacity Capacité verre Capacidad vaso	Dimensioni Dimensions Dimensiones	Peso netto Net weight Poids net Peso neto	Dimensioni imballo Shipping Emballage Dimensiones embalaje	Peso lordo Gross weight Poids brut Peso bruto
	Watt/HP		r.p.m.	lt	mm	kg	mm	kg
SIRIO 1	100/0,14	X 0	14.000	0,65	150x195xH485	2,5	190x240x510	5
SIRIO 2	100+100/0,14+0,14	X 0	14.000	0,65 x 2	300x195xH485	5	350x240x510	7
SIRIO 1P	100/0,14	X 0	14.000	0,65	110x150xH360	2	190x240x510	4
SIRIO 1 VV	100/0,14	X 0	4000+14.000	0,65	150x195xH485	2,5	190x240x510	5
SIRIO 2 VV	100+100/0,14+0,14	X 0	4000+14.000	0,65 x 2	300x195xH485	5	350x240x510	7
SIRIO Grigio	100/0,14	X 0	14.000	0,65	150x195xH485	2,5	190x240x510	5
SIRIO VV 120W CC900	120/0,16	X 0	14.000	0,90	150x195xH500	2,7	350x240x510	5,2
SIRIO VV 120W CC900	120/0,16	X 0	4000+14.000	0,90	150x195xH500	2,7	350x240x510	5,2
SIRIO 2 VV 120W CC900	120+120/0,16+0,16	X 0	14.000	0,90	300x195xH500	5,4	350x240x510	10,4
SIRIO 2 VV 120W CC900	120+120/0,16+0,16	X 0	4000+14.000	0,90	300x195xH500	5,4	350x240x510	10,4